

L Number	Hits	Search Text	DB	Time stamp
1	6	6569516.pn. or 6548177.pn. or 6398900.pn. or 6235398.pn. or 6252703.pn. or 6333592.pn.	USPAT; US-PGPUB	2004/06/21 10:37
2	16	(Nakamura.in. or Sasa.in. or Hieda.in. or Miyauchi.in. or (Nitto adj Denko).as.) and ((lamine or filter or PDP or (plasma adj display adj panel) or transparent) with (Ag or silver)) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) with temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 10:58
3	2	(Nakamura.in. or Sasa.in. or Hieda.in. or Miyauchi.in. or (Nitto adj Denko).as.) and (PDP or (plasma adj display adj panel)) and ((sputter\$3 or (vacuum adj dry)) with temperature)	USPAT; US-PGPUB	2004/06/21 10:47
4	4	(Nakamura or Sasa or Hieda or Miyauchi or (Nitto adj Denko)) and ((lamine or filter or PDP or (plasma adj display adj panel) or transparent) and (Ag or silver)) and ((sputter\$3 or (vacuum adj dry)) with temperature)	EPO; JPO; DERWENT; IBM_TDB	2004/06/21 10:48
5	1	((Nakamura or Sasa or Hieda or Miyauchi or (Nitto adj Denko)) and ((lamine or filter or PDP or (plasma adj display adj panel) or transparent) and (Ag or silver)) and ((sputter\$3 or (vacuum adj dry)) with temperature) ) not ((Nakamura.in. or Sasa.in. or Hieda.in. or Miyauchi.in. or (Nitto adj Denko).as.) and ((lamine or filter or PDP or (plasma adj display adj panel) or transparent) with (Ag or silver)) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) with temperature))	EPO; JPO; DERWENT; IBM_TDB	2004/06/21 10:48
6	4	(Nakamura.in. or Sasa.in. or Hieda.in. or Miyauchi.in. or (Nitto adj Denko).as.) and ((lamine or filter or PDP or (plasma adj display adj panel) or transparent) with (Ag or silver)) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) near5 (speed or rate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 10:51
7	5	(Nakamura.in. or Sasa.in. or Hieda.in. or Miyauchi.in. or (Nitto adj Denko).as.) and ((lamine or filter or PDP or (plasma adj display adj panel) or transparent)) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) near5 (speed or rate) with (Ag or silver))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 10:51
8	3	((Nakamura.in. or Sasa.in. or Hieda.in. or Miyauchi.in. or (Nitto adj Denko).as.) and ((lamine or filter or PDP or (plasma adj display adj panel) or transparent)) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) near5 (speed or rate) with (Ag or silver))) not ((Nakamura.in. or Sasa.in. or Hieda.in. or Miyauchi.in. or (Nitto adj Denko).as.) and ((lamine or filter or PDP or (plasma adj display adj panel) or transparent) with (Ag or silver)) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) near5 (speed or rate)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 10:51
9	4496	((427/64,68,69,70,108,109,124,125) or (313/112,484,489)).CCLS.	USPAT; US-PGPUB	2004/06/21 10:55
10	4318	((427/164,165,166) or (359/359,360,580,588,589,885,890,586)).CCLS.	USPAT; US-PGPUB	2004/06/21 10:56
11	5216	((427/250,251,255.32,255.7) or (204/192.1,192.14,192.15,192.29,192.26,192.28)).CCLS.	USPAT; US-PGPUB	2004/06/21 10:57



20	87	((laminate or filter or PDP or (plasma adj display adj panel) or transparent or coat\$3 or film or deposit\$3) near6 (repeat\$5 or multilayer or (multi adj layer) or ((multiple or plural or plurality) adj layer))) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) same (temperature or celcius or faren\$8) same (Ag or silver) same (speed or rate))	USPAT; US-PGPUB	2004/06/21 11:47
21	14	((laminate or filter or PDP or (plasma adj display adj panel) or transparent or coat\$3 or film or deposit\$3) near6 (repeat\$5 or multilayer or (multi adj layer) or ((multiple or plural or plurality) adj layer)) same (Ag or silver) same ((index near2 refract\$5) or oxide or dielectric or ITO)) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) same (temperature or celcius or faren\$8) same (Ag or silver) same (speed or rate))	USPAT; US-PGPUB	2004/06/21 11:47
22	20	((laminate or filter or PDP or (plasma adj display adj panel) or transparent or coat\$3 or film or deposit\$3) near6 (repeat\$5 or multilayer or (multi adj layer) or alternat\$6 or ((multiple or plural or plurality) adj layer)) same (Ag or silver) same ((index near2 refract\$5) or oxide or dielectric or ITO)) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) same (temperature or celcius or faren\$8) same (Ag or silver) same (speed or rate))	USPAT; US-PGPUB	2004/06/21 11:38
23	140	((laminate or filter or PDP or (plasma adj display adj panel) or transparent or coat\$3 or film or deposit\$3) near6 (repeat\$5 or multilayer or alternat\$6 or (multi adj layer) or ((multiple or plural or plurality) adj layer))) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) same (temperature or celcius or faren\$8) same (Ag or silver) same (speed or rate))	USPAT; US-PGPUB	2004/06/21 11:46
24	4	((laminate or filter or PDP or (plasma adj display adj panel) or transparent or coat\$3 or film or deposit\$3) near6 (repeat\$5 or multilayer or alternat\$6 or (multi adj layer) or ((multiple or plural or plurality) adj layer))) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) with (temperature or celcius or faren\$8) with (Ag or silver) with (speed or rate))	USPAT; US-PGPUB	2004/06/21 11:33

25	118	((laminate or filter or PDP or (plasma adj display adj panel) or transparent or coat\$3 or film or deposit\$3) near6 (repeat\$5 or multilayer or alternat\$6 or (multi adj layer) or ((multiple or plural or plurality) adj layer))) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) same (temperature or celcius or faren\$8) same (Ag or silver) same (speed or rate))) not (((laminate or filter or PDP or (plasma adj display adj panel) or transparent or coat\$3 or film or deposit\$3) near6 (repeat\$5 or multilayer or (multi adj layer) or alternat\$6 or ((multiple or plural or plurality) adj layer)) same (Ag or silver) same ((index near2 refract\$5) or oxide or dielectric or ITO)) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) same (temperature or celcius or faren\$8) same (Ag or silver) same (speed or rate))) or (((laminate or filter or PDP or (plasma adj display adj panel) or transparent or coat\$3 or film or deposit\$3) near6 (repeat\$5 or multilayer or alternat\$6 or (multi adj layer) or ((multiple or plural or plurality) adj layer))) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) with (temperature or celcius or faren\$8) with (Ag or silver) with (speed or rate))))	USPAT; US-PGPUB	2004/06/21 11:33
26	205	((laminate or filter or PDP or (plasma adj display adj panel) or transparent or coat\$3 or film or deposit\$3) near6 (repeat\$5 or multilayer or (multi adj layer) or alternat\$6 or ((multiple or plural or plurality) adj layer)) same (Ag or silver) same ((index near2 refract\$5) or oxide or dielectric or ITO)) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) same (Ag or silver) same (speed or rate)))	USPAT; US-PGPUB	2004/06/21 11:45
27	25	((laminate or filter or PDP or (plasma adj display adj panel) or transparent or coat\$3 or film or deposit\$3) near6 (repeat\$5 or multilayer or (multi adj layer) or alternat\$6 or ((multiple or plural or plurality) adj layer)) same (Ag or silver) same ((index near2 refract\$5) or oxide or dielectric or ITO)) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) with (Ag or silver) with (speed or rate)))	USPAT; US-PGPUB	2004/06/21 11:44

28	19	((laminate or filter or PDP or (plasma adj display adj panel) or transparent or coat\$3 or film or deposit\$3) near6 (repeat\$5 or multilayer or (multi adj layer) or alternat\$6 or ((multiple or plural or plurality) adj layer)) same (Ag or silver) same ((index near2 refract\$5) or oxide or dielectric or ITO)) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) with (Ag or silver) with (speed or rate))) not (((laminate or filter or PDP or (plasma adj display adj panel) or transparent or coat\$3 or film or deposit\$3) near6 (repeat\$5 or multilayer or (multi adj layer) or alternat\$6 or ((multiple or plural or plurality) adj layer)) same (Ag or silver) same ((index near2 refract\$5) or oxide or dielectric or ITO)) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) same (temperature or celcius or faren\$8) same (Ag or silver) same (speed or rate))) or (((laminate or filter or PDP or (plasma adj display adj panel) or transparent or coat\$3 or film or deposit\$3) near6 (repeat\$5 or multilayer or alternat\$6 or (multi adj layer) or ((multiple or plural or plurality) adj layer))) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) same (temperature or celcius or faren\$8) same (Ag or silver) same (speed or rate))) or (((laminate or filter or PDP or (plasma adj display adj panel) or transparent or coat\$3 or film or deposit\$3) near6 (repeat\$5 or multilayer or alternat\$6 or (multi adj layer) or ((multiple or plural or plurality) adj layer))) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) with (temperature or celcius or faren\$8) with (Ag or silver) with (speed or rate))))	USPAT; US-PGPUB	2004/06/21 11:40
29	2	((laminate or filter or PDP or (plasma adj display adj panel) or transparent or coat\$3 or film or deposit\$3) near6 (repeat\$5 or multilayer or (multi adj layer) or alternat\$6 or ((multiple or plural or plurality) adj layer)) same (Ag or silver) same ((index near2 refract\$5) or oxide or dielectric or ITO)) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) with (Ag or silver) with (speed or rate)))	EPO; JPO; DERWENT; IBM_TDB	2004/06/21 11:44
30	4	((laminate or filter or PDP or (plasma adj display adj panel) or transparent or coat\$3 or film or deposit\$3) near6 (repeat\$5 or multilayer or (multi adj layer) or alternat\$6 or ((multiple or plural or plurality) adj layer)) same (Ag or silver) same ((index near2 refract\$5) or oxide or dielectric or ITO)) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) same (Ag or silver) same (speed or rate)))	EPO; JPO; DERWENT; IBM_TDB	2004/06/21 11:45

31	2	((laminate or filter or PDP or (plasma adj display adj panel) or transparent or coat\$3 or film or deposit\$3) near6 (repeat\$5 or multilayer or alternat\$6 or (multi adj layer) or ((multiple or plural or plurality) adj layer))) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) same (temperature or celcius or faren\$8) same (Ag or silver) same (speed or rate))	EPO; JPO; DERWENT; IBM_TDB	2004/06/21 11:46
32	1	((laminate or filter or PDP or (plasma adj display adj panel) or transparent or coat\$3 or film or deposit\$3) near6 (repeat\$5 or multilayer or (multi adj layer) or ((multiple or plural or plurality) adj layer)) same (Ag or silver) same ((index near2 refract\$5) or oxide or dielectric or ITO)) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) same (temperature or celcius or faren\$8) same (Ag or silver) same (speed or rate))	EPO; JPO; DERWENT; IBM_TDB	2004/06/21 11:48
33	4	((laminate or filter or PDP or (plasma adj display adj panel) or transparent or coat\$3 or film or deposit\$3) near6 (repeat\$5 or multilayer or (multi adj layer) or ((multiple or plural or plurality) adj layer)) same (Ag or silver) same ((index near2 refract\$5) or oxide or dielectric or ITO)) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) same (Ag or silver) same (speed or rate))	EPO; JPO; DERWENT; IBM_TDB	2004/06/21 11:48
34	0	((laminate or filter or PDP or (plasma adj display adj panel) or transparent or coat\$3 or film or deposit\$3) near6 (repeat\$5 or multilayer or (multi adj layer) or ((multiple or plural or plurality) adj layer)) same (Ag or silver) same ((index near2 refract\$5) or oxide or dielectric or ITO)) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) same (Ag or silver) same (speed or rate)) ) not (((laminate or filter or PDP or (plasma adj display adj panel) or transparent or coat\$3 or film or deposit\$3) near6 (repeat\$5 or multilayer or (multi adj layer) or alternat\$6 or ((multiple or plural or plurality) adj layer)) same (Ag or silver) same ((index near2 refract\$5) or oxide or dielectric or ITO)) and ((sputter\$3 or (vacuum adj dry) or \$4CVD or (vapor adj deposit\$3) or (ion adj plat\$4)) same (Ag or silver) same (speed or rate)))	EPO; JPO; DERWENT; IBM_TDB	2004/06/21 11:48